UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/824,741	04/15/2004	John N. Hryn	0003/01269	7059
27197 CHERSKOV &	7590 09/17/200 : FLAYNIK	EXAMINER		
	PERA BUILDING	PHASGE, ARUN S		
CHICAGO, IL	ACKER DRIVE, SUIT 60606	E 144/	ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			09/17/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/824,741	HRYN ET AL.			
Office Action Summary	Examiner	Art Unit			
	Arun S. Phasge	1795			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 66(a). In no event, however, may a reply be time fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	l. lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>26 Ju</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowant closed in accordance with the practice under E.	action is non-final. ace except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-3,5-7 and 9-20 is/are pending in the 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-3,5-7,9-20 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examiner 10) ☐ The drawing(s) filed on is/are: a) ☐ access	vn from consideration. relection requirement. r. repted or b) □ objected to by the B				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te			



Application No.

DETAILED ACTION

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 102/103

Claim1-3, 5-7, 9-20 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Genders et al. (Genders), U.S. Patent 6,004,445.

Genders discloses the claimed method for improving the throughput in continuous electrodialysis process to create product, the method comprising automatically neutralizing byproduct acid generated in acid loop solutions residing in an electrodialysis stack by adding a buffer which comprises components of the product or neutralizing, the buffer keeps the solution in the stack within 2 pH units (see claims 1-23). The reference further discloses the use of the formation of an acidic solution and the buffer is added to the solution (see example 3 in col. 11). The reference further discloses the formation of a basic solution, i.e., potassium bicarbonate, and the buffer is added to the solution (see example 2, in col. 11). The reference further discloses that the buffer is premixed with a solution situated remotely from the stack and within the temperature claimed (see figures 1-5).

Accordingly, the claims are anticipated.

In the alternative, the claims would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the disclosure of the

Genders patent with the teachings contained therein, because the patent teaches that the pH needs to be controlled to produce the desired product.

Response to Arguments

Applicant's arguments with respect to claims 11-3, 5-7, and 9-20 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arun S. Phasge whose telephone number is (571) 272-1345. The examiner can normally be reached on MONDAY-THURSDAY, 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam X. Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/824,741

Art Unit: 1795

/Arun S. Phasge/ Primary Examiner, Art Unit 1795

Page 4

asp